

EXPECTED IMPLEMENTATION JULY 2015

D

994 RETROREFLECTIVE AND NONREFLECTIVE SHEETING AND SIGN PANEL FABRICATION

(REV 12-5-14) (FA 1-13-15) (7-15)

SUBARTICLE 994-2.3.3 is deleted and the following substituted:

994-2.3.3 Clear Overlay Films: Clear overlay film must be compatible with the sign sheeting system and not delaminate or discolor for the in-service life of the system. Provide spectrophotometer analysis indicating the luminous transmittance across the wavelength range from 325 nm to 700 nm in accordance with ASTM D1003 Procedure B. Film shall filter less than 1.0% luminous transmittance for 325 nm to 350 nm.

R

A

F

T