



OPTIONAL ENTRANCE FOR CONCRETE PIPE

- construction which adheres to this Index, including any additional reinforcement required for handling which shall be determined by the Contractor or supplier, does not require additional approvals. Deviations from this Index, for precast units, shall require the approval of the State Drainage Engineer prior to construction. For precast construction, see Index No. 201 for opening and grouting details.
- 3. Reinforcing steel shall be either Grade 40 or 60.
- 4. Concrete shall be Class II, except ASTM C478 (4000 psi) concrete may be substituted for precast items manufactured in plants meeting the requirements of Section 449 of the Specifications.

- prior to placing of the concrete.
- 7. Sodding shall be in accordance with Index No. 281 and paid for under the contract unit price for Performanace Turf, SY.
- 8. Basis of payment for either cast-in-place or precast construction shall be the estimated quantities tabulated on the Index. Concrete and reinforcing steel shall be paid for under the contract unit prices for Class II Concrete (Endwalls), CY and Reinforcing Steel (Roadway), LB.




2010 FDOT Design Standards

STRAIGHT CONCRETE ENDWALLS SINGLE AND DOUBLE 72" PIPE

Sheet No. 07/01/09 1 of 2

253



253 SINGLE AND DOUBLE 72" PIPE