



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

JIM BOXOLD
SECRETARY

August 17, 2016

ADDENDUM NO. 1

TO: PROSPECTIVE BIDDERS AND PLAN HOLDERS

PROPOSAL/CONTRACT ID: T9012

FINANCIAL PROJECT NUMBER(S): 437303 1 52 01

COUNTY(IES): Flagler

PROJECT NAME(S): SR 5 (US 1), SB Weigh Station Building Replacement

BIDS TO BE RECEIVED: August 31, 2016

SUPPLEMENTAL SPECIFICATIONS PACKAGE
NUMBER ONE

The 2016 Edition of the Florida Department of Transportation Standard Specifications and the original Specifications Package for the project, dated June 6, 2016, are revised to include the Supplemental Specifications Package 57 page(s) dated August 10, 2016.

Please go to the Online Ordering Web Site at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering> to download the Supplemental Specifications Package(s) for this project from your Order History.

PLANS REVISIONS

Plan sheets of the subject project have been revised. Please go to the Online Ordering Web Site at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering> to download the Plans Revisions from your Order History. Please substitute these sheets for the like-numbered sheets in the Plans you now have.

Addendum
August 17, 2016
Page Two

AMENDMENT NOTIFICATION

If you are a BID DOCUMENT HOLDER for the subject project, please go to the Online Ordering Web Site at <https://fdotwp1.dot.state.fl.us/contractproposalprocessingonlineordering> to download T9012Amendment001 for this Bid Document from your Order History.

If you are a BID DOCUMENT HOLDER, please acknowledge receipt of this Addendum in Expedite Bid by opening the Acceptance of Bidding Acknowledgements folder and confirming your acknowledgement of Amendment and Addenda files. Failure to load all amendment files will cause the bid to be rejected.

Sincerely,

Alan Autry, Manager
Contracts Administration Office

AA:dm

Attachment

REVISION MEMO

DATE: 08/15/16

1 of 3

TO: Final Plans (CO-FINALPLANS)

FROM: Craig Wilson, Project Manager

COPIES: DDE, DCPME

SUBJECT: **Revision Number 1** - Letting - August 2016

Financial Project ID 43730315201

Proposal/Contract ID T9012

Federal Funds: No Yes Federal Aid No. _____

County: Flagler State Road No. SR 5 (US 1)

Mandatory Only: No Yes (*If Yes, Signatures Not Required.)

*Concurred by: *Craig Wilson* Date: 8/16/2016
Signature of Director of Transportation Development or Designee

I have reviewed for effects on the Specifications Package and a package revision is is not required. *Approved By: *Faye QL* Date: 8/16/16
Signature of District Specifications Engineer

If FA Oversight, *Authorized By: _____ Date: _____
Print Name of FHWA Engineer

REVISIONS RECEIVED IN THE FINAL PLANS OFFICE WITHIN 15 WORK DAYS OF THE LETTING MUST BE APPROVED BY THE DISTRICT SECRETARY.

NO REVISIONS ALLOWED WITHIN 5 WORK DAYS OF THE LETTING WITHOUT APPROVAL

*Approved By: *Faye QL* Date: 8/16/16
Signature of District Secretary

- SUPPLEMENTAL SPECIFICATIONS PACKAGE NUMBER ONE (57 PAGES).
 - REISSUED SPECIFICATIONS PACKAGE _____ (_____ Pages).
 - PLANS REVISION NUMBER 1 (6 Sheets):
- CONTRACT TIME REVISED: No Yes(if yes, _____ Total Calendar Days)
-

DATE: 08/15/16

2 of 3

Financial Project ID 43730315201

Proposal/Contract ID T9012

PLANS REVISION NUMBER - 1

<u>Sheet No(s).</u>	<u>Rev. Date</u>	<u>Description</u>
<u>AG-000</u>	<u>07/14/16</u>	<u>UPDATED INDEX, ADDED SHEET REVISIONS LIST</u>
<u>AG-001A</u>	<u>07/14/16</u>	<u>NEW SHEET - REV. 1 SIGNATURE SHEET</u>
<u>AG-002</u>	<u>07/14/16</u>	<u>NEW SHEET - REV. 1 SIGNATURE SHEET</u>
<u>SQ-1</u>	<u>07/14/16</u>	<u>NEW SUMMARY OF QUANTITIES SHEET</u>
<u>SQ-2</u>	<u>07/14/16</u>	<u>NEW SUMMARY OF QUANTITIES SHEET</u>
<u>SQ-3</u>	<u>07/14/16</u>	<u>NEW SUMMARY OF QUANTITIES SHEET</u>

SUPPLEMENTAL SPECIFICATIONS PACKAGE NUMBER ONE

<u>Sheet No(s).</u>	<u>Rev. Date</u>	<u>Description</u>
<u>1-57</u>	<u>08/10/16</u>	<p><u>Special Provision:</u> Deleted special provision – Permits Procured By The Department <u>Added following special provisions –</u> Prosecution Of Work - Statewide Disputes Review Board 320 - Hot Mix Asphalt - Plant Methods and Equipment 334 - Superpave Asphalt Concrete 916 - Bituminous Materials</p> <p><u>TSP 06 10 00 Rough Carpentry – Added to 2.1, B, 3 –</u> “b. Provide 1” x ¼” wood trim at all exposed joints in plywood butt joints and 1” x 1” x ¼” inside/outside corner trim molding. Trim finish to match plywood finish.”</p> <p><u>TSP 08 80 00 Glass and Glazing – Entire 2.2 Glass Types revised. Clarification of GL types, specification of Glass Standards, Insulating Glass Unit Assemblies. All other sections removed for clarity.</u></p>

TSP 08 34 02 Bullet Resistant Components –
 Added to 2.4, B, Note 1 – “. . . Level 2 . . .” after
 “Low-spall interior face shall meet or exceed
 requirements for spall resistance defined in UL 752
 . . .” Strike Through All of 2.4, Note C.

TSP 10 11 00 Visual Display Units –
 Added to 2.2, A – “. . . Dimension of markerboard to
 be 6’-0” x 4’-0”, unless otherwise noted.”
 Added to 2.3, C – “C. Dimension of tackboard to be
 4’-0” x 4’-0”, unless otherwise noted.”
 Change “2.4 Visual Display Rails” to “2.4 Visual
 Display Board Assemblies”
 Added to 2.4, B – “. . . Dimension of visual display
 board to be 4’-0” x 4’-0”, unless otherwise noted.”

TSP 10 51 00 Metal Lockers –
 Added to 2.3, A, Note 1 - “1. Standard double-tier
 wardrobe locker dimensions to be
 12”W x 12”D x 72”

TSP 31 31 16 Soil Treatment –
 Added new TSP Section

Summary of Quantities

Pay Item	Sheet No.	Add. / Del. / Rev.	Old Quantity	New Quantity
0633-1-320	AG-002	Revised	430	630