Florida Department of Transportation

RICK SCOTT
GOVERNOR

719 S. Woodland Blvd.
DeLand, FL 32720

ANANTH PRASAD, P.E.
SECRETARY

December 12, 2011

ADDENDUM NO. 2

To: PROSPECTIVE BIDDERS AND PLAN HOLDERS

FINANCIAL PROJECT NUMBER: 429276-1-72-01
CONTRACT NUMBER: E5P99
COUNTY: Brevard
DESCRIPTION: Drainage Improvements

BIDS TO BE RECEIVED December 21, 2011

CHANGE TO GENERAL NOTES

The following statement is added to Page 154, General Notes and Traffic Control Plan section of the Appendices within the original Specifications Package for the project, dated September 21, 2011:

17. Shoulder gutter is considered defective, and shall be replaced from control joint to control joint, if either a) cracks are 10% or more of the area from control joint to control joint, or b) any gutter with vertical or horizontal misalignments greater than 1/2 inch.

AMENDMENT NOTIFICATION

If you are a BID DOCUMENT HOLDER for the subject project, please go to the Online Ordering Web Site at https://www3.dot.state.fl.us/ContractProposalProcessingOnlineOrdering/ to download E5P99Amendment002 for this Bid Document from your Order History.

If you are a BID DOCUMENT HOLDER, please acknowledge receipt of this Addendum in Expedite Bid by opening the Acceptance of Bidding Acknowledgements folder and confirming your acknowledgement of Amendment and Addenda files. Failure to load all amendment files will cause the bid to be rejected.

Please sign the Addendum in the space provided and email, mail or fax back verifying receipt. If you have any further questions please contact Michelle Sloan at (386) 943-5528 or by email at michelle.sloan@dot.state.fl.us. Fax to: (386) 943-5405

Sincerely,

Michelle Sloan

Michelle Sloan
District Contracts
District Five

Received by: _____

Company: _____

Date: _____