

**BID SOLICITATION NOTICE - Turnpike  
FLORIDA DEPARTMENT OF TRANSPORTATION  
CONSTRUCTION AND MAINTENANCE PROGRAMS**

Orlando, Florida  
March 13, 2015  
Advertisement No. 2

Bids for construction projects listed in this Bid Solicitation Notice with a budget of \$5 million or more must be submitted using Bid Express only. No other means of submission of bids will be accepted. Please visit the Contracts Administration Website at: <http://www.dot.state.fl.us/cc-admin> for more information on Bid Express. Submitting bids through Bid Express requires a Digital ID. To obtain a Digital ID please contact Bid Express at <http://www.bidx.com>. Allow up to 6 days to complete the Digital ID registration.

Unless otherwise instructed, bids for construction projects with a budget of less than \$5 million and all maintenance projects listed in this Bid Solicitation Notice can be submitted using Bid Express or can be submitted at any of the following Florida Department of Transportation location(s) until 2:30 PM Local Time on **Tuesday, May 12, 2015**. All bids must be completed using Expedite Bid software available on the Contracts Administration website at <http://www.dot.state.fl.us/cc-admin/Expedite/hexpedite.shtm>.

<b>Location</b>	<b>Address</b>	<b>Room Number</b>
Turnpike	FL Turnpike MP 263 Ocoee, Florida 34761	Building 5315

The sealed bids received in the above referenced location(s) will be publicly opened and the Bid totals for each bid submitted will be read aloud at 2:30 PM **May 12, 2015** in the Turnpike Headquarters, Building 5315, Ocoee, Florida. Agenda: a) Opening Remarks; b) 15 minutes of public input; c) Reading of bids; d) Closing. Anyone needing special accommodations under the Americans with Disabilities Act of 1990 should send an e-mail to: [contracts.admin@dot.state.fl.us](mailto:contracts.admin@dot.state.fl.us) or call telephone number (407) 264-3885 . Special accommodation requests under the Americans with Disabilities Act should be made at least seven days prior to the public meeting. Bidders may obtain preliminary bid results at: <http://www3.dot.state.fl.us/TransportLASBidLetting/>, select district then click on appropriate date.

**DEADLINE for PROPOSALS and PROPOSAL HOLDERS LIST**

The deadline for obtaining bid packages shall be 24 hours prior to scheduled letting date and time. A list of plan holders may be obtained by visiting the District Contracts Administration website at: <http://www.dot.state.fl.us/contractsadministrationturnpike/>, click "Letting and Project Information" and select letting date from the Lettings Menu. For compliance with Florida Statute 337.168(2), additional bidders and plan and specifications holders are not published beginning three working days prior to the letting.

**-----NOTE-----**

**Proposals will not be issued after 2:30 PM Local Time on Monday, May 11, 2015 .**

**Document Ordering Information**

Orders for documents are placed using the Contract Proposal Processing Online Ordering System at <https://www3.dot.state.fl.us/ContractProposalProcessingOnlineOrdering/>. There is no charge for ordering/downloading documents. Online Ordering is available Monday through Friday from 6 AM. to 9 PM. and Saturday from 6 AM. to 7 PM.

**To Place An Order**

- A current State of Florida Vendor Number is required prior to first-time registration; please visit [http://dms.myflorida.com/egovernment\\_tools/myflorida\\_marketplace](http://dms.myflorida.com/egovernment_tools/myflorida_marketplace) for more information. Please allow 24 to 48 hours for receipt of a new vendor number.
- Prior to placing orders, an individual shall register and establish an Internet Subscriber Account with the Department of Transportation at <https://www3.dot.state.fl.us/ContractProposalProcessingOnlineOrdering/>. Please allow 48 to 72 hours (excluding weekends and holidays) for the registration and approval.

## **PREQUALIFICATION**

Contractors must have a current certificate of qualification in accordance with Florida Statute 337.14(1) and Rule Chapter 14-22, Florida Administrative Code, on the date of the letting to bid on construction projects over \$250,000.00 as established by the Department's budget. Maintenance contracts do not require a contractor to have a certificate of qualification, unless stipulated in the project description and specifications. If deemed necessary by the Department, certain maintenance contracts will contain specific requirements for maintenance contractor eligibility.

## **PREQUALIFIED CONTRACTORS CURRENT CAPACITY**

In order for the Department to have the information required to determine a prequalified bidder's Current Capacity, it is necessary that the prequalified contractor certify the total dollar amount of all work the contractor has underway. This certification shall be accomplished electronically by submitting the Certification of Work Underway (Online Web Application) [http://www.dot.state.fl.us/cc-admin/PreQual\\_Info/prequalified.shtm](http://www.dot.state.fl.us/cc-admin/PreQual_Info/prequalified.shtm) to the Department concurrently with the bid submittal for the first letting in the calendar month that the contractor submits a bid.

## **SCRUTINIZED COMPANIES**

A company that is on the Scrutinized Companies with Activities in Sudan List or the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List may not bid on, submit a proposal for, or enter into a contract with an agency or local government entity for goods or services of \$1 million or more.

## **BID REJECTION**

Bidders are hereby notified that the Department reserves the right to reject all bids if the lowest responsive bid received exceeds the engineer's estimate by more than ten percent(10%). In the event any of the bids are rejected for this reason, the project may be deferred for re-advertising. In addition, award of all federally funded projects will be subject to Federal Highway Administration concurrence.

## **PROTEST RIGHTS**

Pursuant to Section 337.11, Florida Statutes, any person adversely affected by a **bid solicitation** shall file both a notice of protest and bond within 72 hours of the receipt of the bid documents, and shall file a formal written protest within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid solicitation pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid solicitation that requires qualification of bidders, the Bond shall be \$5,000. For an action protesting a bid solicitation for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458. Failure to file a protest within the time prescribed in Section 120.57(3), F.S., or failure to post the bond or other security required by law within the time allowed for filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

Pursuant to Section 337.11, Florida Statutes, any person adversely affected by a **bid rejection or contract award** shall file both a notice of protest and bond within 72 hours after the posting of the Summary of Bids. If notice of intended decision is given by certified mail or express delivery, the adversely effected person must file both the notice of protest and bond within 72 hours after receipt of the notice of intent. A formal written protest must be filed within ten days after filing the notice of protest. Any person who files a notice of protest as to a bid rejection or contract award pursuant to this rule shall post with the Department, at the time of filing the notice of protest, a bond payable to the Department in the following amounts: For an action protesting a bid rejection or contract award that requires qualification of bidders, the Bond shall be equal to one percent of the lowest bid submitted or \$5,000, whichever is greater. For an action protesting a bid rejection or contact award for which bidders are not required to be prequalified by the Department to be eligible to bid, the bond shall be \$2,500. The required notice of protest, bond and formal protest must each be timely filed with the Clerk of Agency Proceedings, Florida Department of Transportation, Mail Station 58, Room 550, 605 Suwannee Street, Tallahassee, Florida 32399-0458. Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

A protest is not timely filed unless the notice of protest, bond and the formal protest are each received by the Clerk of Agency Proceedings within the required time limits. A protest which is filed prematurely will be deemed abandoned unless timely renewed.

## **INSURANCE**

The successful bidder shall submit current general liability insurance and workman's compensation insurance certificates for the duration of the contract in the dollar amounts and manner specified in the most current edition of the Department's Standard Specifications for Road and Bridge Construction. Insurance companies must be authorized to do business in the State of Florida. Proof of such insurance shall be filed with the District Contracts and Procurement Office before the contract can be executed. BE SURE THAT THE CONTRACT NUMBER IS ON EACH INSURANCE CERTIFICATE.

## **ADDENDA**

No negotiations, decisions, or actions will be initiated or executed by a potential bidder as a result of any oral discussion with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department. Notices of changes (addenda) will be posted on the District Contracts Administration website at: <http://www.dot.state.fl.us/contractsadministrationturnpike/>, click "Letting and Project Information" and select letting date from the Lettings Menu. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid. **All addenda will be acknowledged by signature and subsequent submission of addenda with the bid when so stated in the addenda.**

## **BID QUESTIONS**

Direct questions regarding the advertised projects by posting them to the Department website at the following URL address: <http://www2.dot.state.fl.us/construction/bidquestionmain.asp>

## **BID BOND**

For bids over \$150,000.00, the standard proposal guaranty of 5% of the bid will be required. A Proposal Guaranty of not less than five percent (5%) of the total actual bid in the form of either a certified check, cashier's check, trust company treasurer's check, bank draft of any national or state bank, or a Surety Bid Bond made payable to the Florida Department of Transportation must accompany each bid in excess of **\$150,000.00**. A check or draft in an amount less than five percent (5%) of the actual bid will invalidate the bid. The guaranty amount shall include all bid items except construction days for A+B bidding and lane closure for Lane Rental Bidding. Bid Bonds shall substantially conform to DOT Form 375-020-09 furnished with the Proposal. Surety2000 or SurePath electronic Bid Bond submittal may be used in conjunction with Bid Express internet bid submittal. For more information please visit <http://www.surety2000.com> for Surety2000 or <http://www.insurevision.com> for SurePath. Paper Bid Bonds will be also be accepted for bids submitted through Bid Express provided they are received prior to the deadline for receiving bids, by the location(s) identified in this Bid Solicitation Notice for receiving bids for the advertised project(s). If an electronic bid bond is not being submitted, the bidder must submit an original bid bond. (A fax or a copy sent as an attachment will not be accepted.)

## **EXECUTION OF CONTRACT**

Pursuant to Subsections 3-6 and 3-7 of the Standard Specifications, the successful bidder shall execute the necessary contract documents and return the agreement along with a satisfactory Performance and Payment Bond within ten (10) Calendar days of award, excluding Saturdays, Sundays, and state holidays, unless noted otherwise in the project specifications. A 100% Payment and Performance Bond will be required for all projects unless noted otherwise in the project specifications. All work is to be done in accordance with the Plans, special Provisions of the State of Florida Department of Transportation.

Prior to execution of the contract with the Department, **a corporation must show proof that is authorized to do business in the State of Florida.** Florida corporations should provide a copy of the certificate of Incorporation and foreign corporations should provide a copy of Certificate of Authority from the Florida Department of State.

**Important note:** Actual commitment and final execution of the contract is contingent upon an approved legislative budget and funds availability.

## **PROPOSAL REVISIONS**

Unless otherwise instructed, the Department will accept legible facsimile (fax) proposal revisions pursuant to the project specifications at Fax No. (407) 264-3058 if received in full by 2:30 PM Local Time on the day of the letting. A faxed proposal revision will not be considered if received at a different fax number. The bid/proposal must be received in the

District Contracts and Procurement Office prior to receiving changes through the Fax.

For projects that are submitted through Bid Express, contractor's revisions to bids must be submitted through Bid Express by the time the bids are due.

### **DBE PARTICIPATION**

Disadvantaged Business Enterprise (DBE) Availability Goal Information is contained in the Bid Solicitation Package. Please complete, sign, and return the applicable "Anticipated DBE Participation Statement" form and the "DBE/MBE Bid Opportunity List" form which shall be submitted with bid as stipulated in the subject bid packages.

### **DEBARMENT/SUSPENSION**

All bids submitted to the Department shall include a statement that by signing and submitting this proposal, the bidder certifies that no principal (which includes officers, directors or executives) is presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from participation in this transaction by any federal department or agency.

### **MANDATORY PRE-BID MEETING**

For projects with mandatory Pre-Bid Meeting, proposals (BIDDING DOCUMENTS) will be issued only to the attendees of the meeting. Prospective bidders ordering bidding documents prior to the Pre-Bid Meeting will be given access to download the bidding documents within 24 hours after the Pre-Bid Meeting. Those prospective bidders ordering the documents after the Pre-Bid Meeting will need to contact the office advertising the project to confirm attendance and receive access to download the bidding documents. Please contact the office at least two working days prior to the deadline for obtaining bidding documents to allow time for processing.

### **LATE ARRIVALS TO MANDATORY PRE-BID MEETINGS**

All bidders must be present and signed in prior to the start of the mandatory prebid meeting. Anyone not signed in at the commencement of the meeting will be considered late and will not be allowed to bid on the project.

### **FIRST TIME BIDDERS**

Bidders bidding for the first time with the Department can request an orientation meeting to obtain information about the bidding/contracting process. Contact the office listed for ordering plans. Please call (407) 264-3885 for further details.

### **POSTING NOTICE**

The bid tabulation and intent to award will be posted on **May 26, 2015** or **June 02, 2015**, at <http://www.dot.state.fl.us/contractsadministrationturnpike/>, click "Letting and Project Information" and select letting date from the Lettings Menu. The posting provides notice of the Department's intent to award a contract or reject all bids. The Department's Notice of Intent regarding a project will be posted on only one of the alternate posting dates. Bidders are solely responsible for timely monitoring or otherwise verifying on which of the specified alternate posting dates the posting of award or rejection of all bids actually occurs.

If the posting dates are revised, all bidders for the subject project will be notified.

### **AFFIRMATIVE ACTION (EQUAL EMPLOYMENT OPPORTUNITY)**

The Florida Department of Transportation (hereinafter referred to as the "Department"), in accordance with **Title VI of the Civil Rights Act of 1964, 42 USC 2000d to 2000d-4 and related authorities, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21**, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively insure that in any contract entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated against on the basis of race, color, national origin, or sex in consideration for an award. Further, it is the policy of the Department to not discriminate against bidders on the grounds of race, color, national origin, religion, sex, age, or disability/handicap in consideration for an award. A bidder must have an approved DBE

Affirmative Action (DBE/AA) Plan prior to contract award. Please use the following link [http://www.dot.state.fl.us/cc-admin/cpp\\_online\\_ordering/bidder\\_assist.shtm](http://www.dot.state.fl.us/cc-admin/cpp_online_ordering/bidder_assist.shtm) and the Special Provisions for instructions for submission of a DBE/AA Plan. The DBE/AA Plan should be submitted for approval prior to the bidding.

#### **MINIMUM WAGE**

The minimum wage for all hours worked in Florida is available at: <http://www.floridajobs.org>

#### **EMAIL SUBSCRIPTION LIST**

To get on the e-mail subscription list, go to <http://www2.dot.state.fl.us/ContractsAdministration/bsnmail.asp> and fill out the necessary information to "Subscribe". To obtain information concerning other districts, go to <http://www.dot.state.fl.us/cc-admin/distco.shtm>

#### **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 a.m. to 5:00 p.m. local time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

**FLORIDA DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS INDEX**

---

Published: **March 13, 2015**  
Letting ID: **08150512**

Please use the following proposal ID and the letting ID when ordering plans/proposal or specifications for the **May 12, 2015** letting. *Note: (\*) indicates lead project*

---

<b>PAGE</b>	<b>PROPOSAL ID</b>	<b>PROPOSAL NOTES</b>	<b>FINPROJ NUMBER(S)</b>	<b>COUNTY</b>	
7	E8N58		40610315201 (*) 40610315601	BROWARD	(Construction)

---

Proposal Note Codes:

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

LETTING ID: 08150512    CALL ORDER: 001    PROPOSAL ID: E8N58    DISTRICT:08    (Construction)  
 COUNTIES: BROWARD , , ,

ROAD NAME: SUNRISE BLVD / TPK  
 LIMITS: INTERCHANGE MODIFICATION (SR 838 / SR 91) (MP 58)

FINPROJ NO(S):	FEDERAL AID NO(S):
40610315201 (*)	N/A
40610315601	N/A

TOTAL ROADWAY LENGTH:	0.000	MILES	CONTRACT DAYS: 1210
TOTAL BRIDGE LENGTH:	0.146	MILES	LETTING DATE: 05/12/15
TOTAL PROPOSAL LENGTH:	0.146	MILES	CONTRACT EXECUTION DAYS: 10
			SPECIAL START DATE: N/A
BUDGET AMOUNT:	\$ 54,248,955.00		ACQUIS./FLEXIBLE START TIME: 95 Days (Flex Time)

**Please read the full advertisement**

**DESCRIPTION:**

Work consists of providing all labor, materials, equipment and incidentals necessary for the SUNRISE BLVD / TPK INTERCHANGE MODIFICATION (SR 838 / SR 91) (MP 58). The Sunrise Boulevard interchange proposed improvements include; one single-lane ramp for eastbound Sunrise Boulevard traffic entering the Turnpike southbound, and one single-lane ramp for northbound Turnpike traffic exiting at Sunrise Boulevard to travel eastbound. In addition, new ramp toll gantries and buildings will be constructed for the Turnpike southbound on from westbound Sunrise Boulevard and Turnpike northbound off to westbound Sunrise Boulevard. Electronic (SunPass)/Toll-By-Plate tolls will be collected at all tolling points with an electronic toll gantry. The existing toll plaza on the northeast quadrant of Sunrise Boulevard will be demolished. This project also includes the replacement of the Sunrise Boulevard Bridge over the Turnpike. No Pre-Bid Conference. Contractor must be prequalified.

**CALL ORDER: 001    PROPOSAL ID: E8N58**

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
<b>SECTION 0001 STRUCTURES</b>				
	0110 3	REMOVAL OF EXISTING STRUCTURE (40610315201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (40610315201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (40610315201)	LS	1.000
	0400 2 4	CONC CLASS II, SUPERSTRUCTURE	CY	512.400
	0400 2 10	CONCRETE CLASS II, APPROACH SLABS	CY	622.800
	0400 4 4	CONCRETE CLASS IV, SUPERSTRUCTURE	CY	1,030.900
	0400 4 5	CONCRETE CLASS IV, SUBSTRUCTURE	CY	381.000
	0400 4 25	CONCRETE CLASS IV, MASS, SUBSTRUCTURE	CY	204.100
	0400 9	BRIDGE DECK GROOVING & PLANING, DECK 8.5"&	SY	4,010.000
	0400147	COMPOSITE NEOPRENE PADS	CF	47.400
	0415 1 4	REINFORCING STEEL - SUPERSTRUCTURE	LB	371,113.000
	0415 1 5	REINFORCING STEEL- SUBSTRUCTURE	LB	103,695.000
	0415 1 9	REINFORCING STEEL- APPROACH SLABS	LB	120,364.000
	0450 2 36	PREST BEAMS: FLORIDA-I BEAM 36"	LF	1,212.000
	0450 2 45	PREST BEAMS: FLORIDA-I BEAM 45"	LF	411.000
	0450 2 78	PREST BEAMS: FLORIDA-I BEAM 78"	LF	3,694.000
	0455 34 5	PRESTRESSED CONCRETE PILING, 24" SQ	LF	6,865.000
	0455143 5	TEST PILES-PRESTRESSED CONCRETE,24" SQ	LF	875.000
	0458 1 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	856.000
	0458 1 21	BRIDGE DECK EXPANSION JOINT, REHABILITATION, POURED JOINT WITH BACKER ROD	LF	464.000
	0458 2	POLYMER NOSING FOR BRIDGE DECK EXPANSION JOINT	CF	72.600
	0459 71	PILES, POLYETHYLENE SHEETING	SY	1,025.000
	0520 5 22	TRAFFIC SEPARATOR - CONCRETE, TYPE II, 6' WIDE	LF	197.000
	0520 70	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	60.000
	0521 5 1	CONCRETE TRAFFIC RAILING, BRIDGE 32" F - SHAPE	LF	1,530.000
	0521 5 2	CONCRETE TRAFFIC RAILING, BRIDGE 42" F - SHAPE	LF	246.000
	0521 5 3	CONCRETE TRAFFIC RAILING, BRIDGE, 32" F - SHAPE, MEDIAN, DOUBLE FACE	LF	50.000
	0521 6 11	CONCRETE PARAPET, PEDESTRIAN/BICYCLE, 27" HEIGHT	LF	246.000
	0550 10343	FENCING, TYPE R, 7.1-8.0, W/FULL ENCLOSURE	LF	246.000
<b>SECTION 0002 ROADWAY</b>				
	0101 1	MOBILIZATION (40610315201)	LS	1.000
	0102 1	MAINTENANCE OF TRAFFIC (40610315201)	LS	1.000
	0102 2 1	SPECIAL DETOUR 1 (40610315201)	LS	1.000
	0102 2 2	SPECIAL DETOUR 2 (40610315201)	LS	1.000
	0102 2 3	SPECIAL DETOUR 3 (40610315201)	LS	1.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

**CALL ORDER: 001      PROPOSAL ID: E8N58**

<b>ALT</b>	<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>UNITS</b>	<b>QUANTITY</b>
	0102 2 4	SPECIAL DETOUR 4 (40610315201)	LS	1.000
	0102 2 5	SPECIAL DETOUR 5 (40610315201)	LS	1.000
	0102 2 6	SPECIAL DETOUR 6 (40610315201)	LS	1.000
	0102 14	TRAFFIC CONTROL OFFICER	MH	632.000
	0102 60	WORK ZONE SIGN	ED	374,224.000
	0102 71 11	BARRIER WALL, TEMPORARY, F&I, CONCRETE	LF	2,737.000
	0102 71 13	BARRIER WALL, TEMPORARY, F&I, LOW PROFILE, CONCRETE	LF	584.000
	0102 71 14	BARRIER WALL, TEMPORARY, F&I, TYPE K	LF	16,432.000
	0102 71 21	BARRIER WALL, TEMPORARY, RELOCATE, CONCRETE	LF	2,116.000
	0102 71 24	BARRIER WALL, TEMPORARY, RELOCATE, TYPE K	LF	28,138.000
	0102 74 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	218,413.000
	0102 74 2	CHANNELIZING DEVICE, TYPE III, 6'	ED	1,379.000
	0102 76	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	20.000
	0102 77	HIGH INTENSITY FLASHING LIGHTS, TEMP, TYPE B	ED	14,796.000
	0102 78	TEMPORARY RETROREFLECTIVE PAVEMENT MARKER	EA	72,218.000
	0102 89 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	37.000
	0102 99	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	620.000
	0104 1	ARTIFICIAL COVERINGS /ROLLED EROSION CONTROL PRODUCTS	SY	357.000
	0104 6	TEMPORARY SLOPE DRAIN / RUNOFF CONTROL STRUCTURE	LF	353.300
	0104 10 3	SEDIMENT BARRIER	LF	9,350.000
	0104 11	FLOATING TURBIDITY BARRIER	LF	12,247.000
	0104 15	SOIL TRACKING PREVENTION DEVICE	EA	8.000
	0104 18	INLET PROTECTION SYSTEM	EA	5.000
	0107 1	LITTER REMOVAL	AC	987.000
	0107 2	MOWING	AC	735.000
	0109 71 5	FIELD OFFICE,1500 SQ FT	DA	1,270.000
	0110 1 1	CLEARING & GRUBBING (40610315201)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (40610315201)	LS	1.000
	0110 20 2	REMOVAL OF EXISTING WALL, RETAINING WALL (40610315201)	LS	1.000
	0110 20 3	REMOVAL OF EXISTING WALL, NOISE WALL (40610315201)	LS	1.000
	0120 1	REGULAR EXCAVATION	CY	25,083.000
	0120 5	CHANNEL EXCAVATION	CY	17,563.000
	0120 6	EMBANKMENT	CY	95,165.000
	0121 70	FLOWABLE FILL	CY	253.000
	0160 4	TYPE B STABILIZATION	SY	56,206.000
	0162 1 11	PREPARED SOIL LAYER, FINISH SOIL LAYER, 6"	SY	52,736.000
	0285701	OPTIONAL BASE, BASE GROUP 01	SY	1,324.100
	0285703	OPTIONAL BASE, BASE GROUP 03	SY	3,084.700
	0285705	OPTIONAL BASE, BASE GROUP 05	SY	9,546.000
	0285706	OPTIONAL BASE, BASE GROUP 06	SY	1,422.000
	0285709	OPTIONAL BASE, BASE GROUP 09	SY	29,751.000
	0285710	OPTIONAL BASE, BASE GROUP 10	SY	12,019.600
	0327 70 1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	SY	9,613.000
	0327 70 4	MILLING EXIST ASPH PAVT, 3" AVG DEPTH	SY	30,571.000
	0327 70 11	MILLING EXIST ASPH PAVT, 2 1/4" AVG DEPTH	SY	45,759.000
	0334 1 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	1,452.000
	0334 1 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	10,676.900
	0334 1 14	SUPERPAVE ASPHALTIC CONC, TRAFFIC D	TN	1,759.000
	0334 1 23	SUPERPAVE ASPH CONC, TRAFFIC C, PG76-22, PMA	TN	1,180.100
	0334 1 24	SUPERPAVE ASPH CONC, TRAFFIC D, PG76-22, PMA	TN	4,797.000
	0337 7 22	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22, PMA	TN	1,876.700
	0337 7 43	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22, PMA	TN	4,210.200
	0339 1	MISCELLANEOUS ASPHALT PAVEMENT	TN	291.400
	0400 0 11	CONCRETE CLASS NS, GRAVITY WALL	CY	410.000
	0400 1 2	CONCRETE CLASS I, ENDWALLS	CY	10.000
	0400 4 8	CONC CLASS IV, BULKHEAD	CY	2,172.800
	0415 1 6	REINFORCING STEEL- MISCELLANEOUS	LB	444.000
	0415 1 8	REINFORCING STEEL- BULKHEAD	LB	389,651.000
	0425 1351	INLETS, CURB, TYPE P-5, <10'	EA	6.000
	0425 1361	INLETS, CURB, TYPE P-6, <10'	EA	6.000
	0425 1461	INLETS, CURB, TYPE J-6, <10'	EA	1.000
	0425 1541	INLETS, DT BOT, TYPE D, <10'	EA	2.000
	0425 1543	INLETS, DITCH BOTTOM, TYPE D, J BOT, <10'	EA	1.000
	0425 1549	INLETS, DT BOT, TYPE D, MODIFY	EA	6.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

CALL ORDER: 001      PROPOSAL ID: E8N58

ALT	ITEM NO.	DESCRIPTION	UNITS	QUANTITY
	0425 1551	INLETS, DT BOT, TYPE E, <10'	EA	2.000
	0425 1701	INLETS, GUTTER, TYPE S, <10'	EA	11.000
	0425 1703	INLETS, GUTTER, TYPE S, J BOTTOM <10'	EA	1.000
	0425 1711	INLETS, GUTTER, TYPE V, <10'	EA	2.000
	0425 1801	INLETS, MEDIAN BARRIER, TYPE 1, <10'	EA	4.000
	0425 1891	INLETS, BARRIER WALL, <10'	EA	22.000
	0425 1892	INLETS, BARRIER WALL, >10'	EA	1.000
	0425 1893	INLETS, BARRIER WALL, J BOT, <10'	EA	7.000
	0425 1895	INLETS, BARRIER WALL, PARTIAL	EA	1.000
	0425 2 41	MANHOLES, P-7, <10'	EA	1.000
	0425 2 43	MANHOLES, P-7, PARTIAL	EA	5.000
	0425 2 61	MANHOLES, P-8, <10'	EA	2.000
	0425 2 62	MANHOLES, P-8, >10'	EA	2.000
	0425 2 91	MANHOLES, J-8, <10'	EA	2.000
	0425 3 81	JUNCTION BOX, DRAINAGE, SPECIAL, < 10'	EA	2.000
	0425 4	INLETS, ADJUST	EA	1.000
	0425 5	MANHOLE, ADJUST	EA	2.000
	0425 8	DRAINAGE STRUCTURES, MISCELLANEOUS, ADJUST	EA	24.000
	0430 94 1	DESILTING PIPE, 0 - 24"	LF	2,508.000
	0430 94 2	DESILTING PIPE, 25 - 36"	LF	1,083.000
	0430 94 3	DESILTING PIPE, 37 - 48"	LF	554.000
	0430175112	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 12"S/CD	LF	31.000
	0430175118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	2,763.000
	0430175124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	861.000
	0430175130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	784.000
	0430175136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	433.000
	0430175148	PIPE CULVERT, OPT MATERIAL, ROUND, 48"S/CD	LF	20.000
	0430175218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	373.000
	0430175230	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 30"S/CD	LF	361.000
	0430175236	PIPE CULVERT, OPT MATERIAL, OTHER SHAPE - ELIP/ARCH, 36"S/CD	LF	148.000
	0430185124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, JACK & BORE, 24", STORM AND CROSS DRAIN	LF	230.000
	0430613325	U-ENDWALL, WITH BAFFLES & GRATE, STD 261,1:2 SLOPE,18"PIPE	EA	1.000
	0430982125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	10.000
	0430982129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	3.000
	0430982138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	1.000
	0436 1 1	TRENCH DRAIN, STANDARD	LF	1,713.000
	0451 70	PREST SOIL ANCHORS	EA	367.000
	0451 70 1	PRESTRESSED SOIL ANCHOR, PERFORMANCE TEST	EA	38.000
	0451 70 2	PRESTRESSED SOIL ANCHOR, CREEP TEST	EA	19.000
	0455 18	PROTECTION OF EXISTING STRUCTURES (40610315201)	LS	1.000
	0455 87	ANCHOR BAR, STEEL	EA	113.000
	0455133 2	SHEET PILING STEEL, TEMPORARY-CRITICAL	SF	108,835.000
	0455133 3	SHEET PILING STEEL, F&I PERMANENT	SF	136,638.000
	0460 70 2	ALUMINUM BULLET RAILINGS, DOUBLE RAIL	LF	368.000
	0515 1 2	PIPE HANDRAIL - GUIDERAIL, ALUMINUM	LF	1,078.000
	0520 1 7	CONCRETE CURB & GUTTER, TYPE E	LF	108.000
	0520 1 10	CONCRETE CURB & GUTTER, TYPE F	LF	13,064.000
	0520 5 41	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 4' WIDE	LF	346.000
	0520 5 42	TRAFFIC SEPARATOR CONCRETE- TYPE IV, 6' WIDE	LF	559.000
	0520 6	SHOULDER GUTTER- CONCRETE	LF	1,657.000
	0520 70	CONCRETE TRAFFIC SEPARATOR, SPECIAL- VARIABLE WIDTH	SY	124.000
	0521 1	MEDIAN CONCRETE BARRIER WALL	LF	2,099.000
	0521 6 31	CONCRETE PARAPET, RETAINING WALL SYSTEM MOUNTED W/SIDEWALK, 27" HEIGHT	LF	368.000
	0521 7 1	CONCRETE TRAFFIC RAILING BARRIER-RETAINING WALL SYSTEM, F SHAPE WITH SOUND/NOISE BARRIER WALL, 8' HEIGHT	LF	963.000
	0521 8 1	CONCRETE TRAFFIC RAILING BARRIER WITH JUNCTION SLAB, 32" F SHAPE	LF	1,222.000
	0521 8 2	CONCRETE TRAFFIC RAILING BARRIER, WITH JUNCTION SLAB, 42" F SHAPE	LF	922.000
	0521 72 3	SHOULDER CONCRETE BARRIER WALL, RIGID-SHOULDER	LF	3,063.000
	0521 72 7	SHOULDER CONCRETE BARRIER WALL, RIDIG - SHOULDER WITH 8' SOUND/NOISE WALL	LF	315.000
	0521 72 23	SHOULDER CONCRETE BARRIER WALL, F SHAPED, WITH 14' SOUND/NOISE WALL	LF	296.000
	0521 73	CONCRETE BARRIER WALL, REMOVAL	LF	15,708.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

**CALL ORDER: 001      PROPOSAL ID: E8N58**

<b>ALT</b>	<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>UNITS</b>	<b>QUANTITY</b>
	0522 1	CONCRETE SIDEWALK AND DRIVEWAYS, 4" THICK	SY	1,958.000
	0524 1 2	CONCRETE DITCH PAVEMENT, NON REINFORCED, 4"	SY	48.000
	0524 1 4	CONCRETE DITCH PAVEMENT, NON REINFORCED, 6"	SY	925.000
	0527 2	DETECTABLE WARNINGS	SF	72.000
	0530 1	RIPRAP, SAND-CEMENT	CY	62.000
	0530 3 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	90.190
	0530 74	BEDDING STONE	TN	8,054.000
	0536 1 1	GUARDRAIL -ROADWAY	LF	5,882.000
	0536 1 5	GUARDRAIL- ROADWAY, THRIE BEAM	LF	1,217.000
	0536 7	SPECIAL GUARDRAIL POST	EA	58.000
	0536 73	GUARDRAIL REMOVAL	LF	11,010.000
	0536 85 22	GUARDRAIL END ANCHORAGE ASSEMBLY- FLARED	EA	6.000
	0536 85 24	GUARDRAIL END ANCHORAGE ASSEMBLY- PARALLEL	EA	5.000
	0536 85 25	GUARDRAIL END ANCHORAGE ASSEMBLY- TYPE II	EA	9.000
	0544 75 1	CRASH CUSHION	EA	3.000
	0547 70 3	RIPRAP FABRIC-FORMED CONCRETE, GROUT FILLED MATTRESS WITH BI-DIRECTIONAL CABLING THROUGHOUT	SY	22,466.000
	0548 12	RETAINING WALL SYSTEM, PERMANANT, EXCLUDING BARRIER	SF	77,116.000
	0548 13	RETAINING WALL SYSTEM,TEMPORARY, EXCLUDING BARRIER	SF	41,346.000
	0550 10220	FENCING, TYPE B, 5.1-6.0', STANDARD	LF	3,127.000
	0550 10221	FENCING, TYPE B, 5.1-6.0', W/ BARB WIRE ATTMT	LF	1,605.000
	0570 1 2	PERFORMANCE TURF, SOD	SY	49,052.000
	0630 2 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	310.000
	0630 2 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,094.000
	0710 11111	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	NM	19.000
	0710 11122	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 8"	LF	9,959.000
	0710 11125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	861.000
	0710 11131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	36.100
	0710 11151	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 DOTTED EXTENSION, 6"	LF	3,244.000
	0710 11211	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	NM	22.000
	0999 16	PARTNERING, DO NOT BID (40610315201)	LS	1.000
	0999 20 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	26.000
	0999 20 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999 25	INITIAL CONTINGENCY AMOUNT, DO NOT BID (40610315201)	LS	1.000
	1050 16004	UTILITY PIPE,REMOVE & DISPOSE, 8-19.9"	LF	122.000
<b>SECTION 0003 SIGNING</b>				
	0700 1 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	12.000
	0700 1 12	SINGLE POST SIGN, F&I GROUND MOUNT, 12-20 SF	AS	23.000
	0700 1 13	SINGLE POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	3.000
	0700 1 21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871 UP TO 12 SF	AS	7.000
	0700 1 22	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871 12-20 SF	AS	23.000
	0700 1 60	SINGLE POST SIGN, REMOVE	AS	9.000
	0700 2 13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS	2.000
	0700 2 14	MULTI- POST SIGN, F&I GROUND MOUNT, 31-50 SF	AS	2.000
	0700 2 15	MULTI- POST SIGN, F&I GROUND MOUNT, 51-100 SF	AS	4.000
	0700 2 16	MULTI- POST SIGN, F&I GROUND MOUNT, 101-200 SF	AS	5.000
	0700 2 60	MULTI- POST SIGN, F&I GROUND MOUNT, REMOVE	AS	6.000
	0700 3104	SIGN PANEL, FURNISH & INSTALL GROUND MOUNT, 31-50 SF	EA	3.000
	0700 3201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	2.000
	0700 3203	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 21-30 SF	EA	4.000
	0700 3204	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 31-50 SF	EA	1.000
	0700 3205	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 51-100 SF	EA	2.000
	0700 3206	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 101-200 SF	EA	9.000
	0700 3207	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, 201-300 SF	EA	2.000
	0700 3302	SIGN PANEL, FURNISH & INSTALL BRIDGE MOUNT INDEX 11870, 12-20 SF	EA	2.000
	0700 3501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1.000
	0700 3505	SIGN PANEL, RELOCATE, 51-100 SF	EA	1.000
	0700 3507	SIGN PANEL, RELOCATE, 201-300 SF	EA	2.000
	0700 3508	SIGN PANEL, RELOCATE, 301-400 SF	EA	1.000
	0700 3509	SIGN PANEL, RELOCATE, 401-500 SF	EA	1.000
	0700 3602	SIGN PANEL, REMOVE, 12-20 SF	EA	2.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

**CALL ORDER: 001      PROPOSAL ID: E8N58**

<b>ALT</b>	<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>UNITS</b>	<b>QUANTITY</b>
	0700 3603	SIGN PANEL, REMOVE, 21-30 SF	EA	1.000
	0700 3605	SIGN PANEL, REMOVE, 51-100 SF	EA	2.000
	0700 3625	SIGN PANEL, REMOVE, 51-100 SF WITH LIGHTING	EA	1.000
	0700 3626	SIGN PANEL, REMOVE, 101-200 SF WITH LIGHTING	EA	5.000
	0700 3627	SIGN PANEL, REMOVE PANEL, 201-300 SF WITH LIGHTING	EA	2.000
	0700 3628	SIGN PANEL, REMOVE PANEL, 301-400 SF WITH LIGHTING	EA	1.000
	0700 4112	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 21-30 FT	EA	2.000
	0700 4113	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, CANTILEVER, 31-40 FT	EA	1.000
	0700 4125	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 51-100 FT	EA	1.000
	0700 4126	OVERHEAD STATIC SIGN STRUCTURE, FURNISH & INSTALL, SPAN, 101-150 FT	EA	1.000
	0700 4610	OVERHEAD STATIC SIGN STRUCTURE, REMOVE CANTILEVER	EA	4.000
	0700 4620	OVERHEAD STATIC SIGN STRUCTURE, REMOVE SPAN	EA	2.000
	0700 8500	FRONT ACCESS DYNAMIC MESSAGE SIGN, RELOCATE	EA	1.000
	0700 12 12	SIGN BEACON, F&I GROUND MOUNT- AC POWERED, TWO BEACONS	AS	1.000
	0700 12 60	SIGN BEACON, REMOVE BEACON- SIGN TO REMAIN	AS	2.000
	0705 11 3	DELINEATOR, FLEXIBLE HIGH VISABILITY MEDIAN	EA	10.000
	0706 3	RETRO-REFLECTIVE PAVEMENT MARKERS	EA	2,524.000
	0710 11290	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, ISLAND NOSE	SF	66.000
	0710 11331	PAINTED PAVEMENT MARKINGS, STANDARD, BLACK, SKIP, 6"	GM	0.185
	0710 90	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (40610315201)	LS	1.000
<b>SECTION 0004 LIGHTING</b>				
	0630 2 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	16,126.000
	0630 2 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	2,213.000
	0630 2 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	16.000
	0630 2 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	626.000
	0635 2 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	111.000
	0715 1 11	LIGHTING CONDUCTORS, F&I, INSULATED, NO. 10 OR <	LF	2,268.000
	0715 1 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	118,728.000
	0715 1 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	35,930.000
	0715 1 14	LIGHTING CONDUCTORS, F&I, INSULATED, NO 1 TO NO 0	LF	21,219.000
	0715 1 16	LIGHTING CONDUCTORS, F&I, NO.4/0 (0000) OR LARGER	LF	220.000
	0715 1 60	LIGHTING CONDUCTORS, REMOVE & DISPOSE, CONTRACTOR OWNS	LF	53,490.000
	0715 4012	LIGHT POLE COMPLETE, F&I, SPECIAL FOUNDATION, WIND SPEED 150, POLE HEIGHT 45'	EA	10.000
	0715 4112	LIGHT POLE COMPLETE, F&I, WIND SPEED 150, POLE - 45'	EA	14.000
	0715 4600	LIGHT POLE COMPLETE, REMOVE	EA	94.000
	0715 7 11	LOAD CENTER, F&I, SECONDARY VOLTAGE	EA	3.000
	0715 7 41	LOAD CENTER, REMOVE, SECONDARY VOLTAGE	EA	3.000
	0715 11 1	LUMINAIRE, UNDER DECK PENDANT, F&I PROJECT 406103-1-52-01	EA	4.000
	0715 11125	LUMINAIRE, F&I, UNDER DECK, WALL MOUNT	EA	6.000
	0715500 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	EA	85.000
	0715500 3	POLE CABLE DISTRIBUTION SYSTEM, WALL MOUNT	EA	19.000
	0715511130	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 30'	EA	4.000
	0715511140	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 40'	EA	2.000
	0715511145	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM SHOULDER MOUNT, ALUMINUM, 45'	EA	61.000
	0715513130	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, ALUMINUM, 30'	EA	4.000
	0715513145	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, SINGLE ARM WALL MOUNT, ALUMINUM, 45'	EA	3.000
	0715514140	LIGHT POLE COMPLETE- SPECIAL DESIGN, F&I, DOUBLE ARM WALL MOUNT, ALUMINUM, 40'	EA	3.000
	0715514145	LIGHT POLE COMP- SPECIAL DESIGN, F&I, DOUBLE ARM WALL MOUNT, ALUMINUM, 45'	EA	1.000
<b>SECTION 0005 SIGNALIZATION</b>				
	0630 2 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	1,765.000
	0630 2 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	695.000
	0630 2 15	CONDUIT, FURNISH & INSTALL, BRIDGE MOUNT	LF	260.000
	0632 7 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI	1.000
	0632 7 2	SIGNAL CABLE- REPAIR/REPLACE/OTHER, FURNISH & INSTALL	LF	1,845.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

**CALL ORDER: 001      PROPOSAL ID: E8N58**

<b>ALT</b>	<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>UNITS</b>	<b>QUANTITY</b>
	0633 8 1	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL	LF	2,680.000
	0635 2 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	34.000
	0646 1 11	ALUMINUM SIGNALS POLE, PEDESTAL	EA	2.000
	0646 1 60	ALUMINUM SIGNALS POLE, REMOVE	EA	2.000
	0649 31105	MAST ARM,F&I, WIND SPEED-150,SINGLE ARM,W/O LUMINAIRE-78	EA	1.000
	0649 31115	MAST ARM,F&I, WIND SPEED-150,DOUBLE ARM, W/O LUMINAIRE, 46-60	EA	1.000
	0649 36500	MAST ARM, REMOVE DEEP/COMPLETE FOUNDATION, BOLT ON ATTACHMENT	EA	2.000
	0650 1 11	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 1 SECTION, 1 WAY	AS	1.000
	0650 1 14	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	AS	12.000
	0650 1 60	TRAFFIC SIGNAL, REMOVE- POLES TO REMAIN	AS	9.000
	0653 1 11	PEDESTRIAN SIGNAL, FURNISH & INSTALL LED COUNTDOWN, 1 WAY	AS	3.000
	0660 1600	LOOP DETECTOR INDUCTIVE, REMOVE- CABINET TO REMAIN	EA	3.000
	0660 4 42	VEHICLE DETECTION SYSTEM- VIDEO, RELOCATE ABOVE GROUND EQUIPMENT	EA	3.000
	0665 1 11	PEDESTRIAN DETECTOR, FURNISH & INSTALL, STANDARD	EA	4.000
	0665 1 60	PEDESTRIAN DETECTOR, REMOVE- POLE/PEDESTAL TO REMAIN	EA	3.000
	0670 5400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	AS	1.000
	0700 3201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	EA	1.000
	0700 5 50	INTERNALLY ILLUMINATED SIGN, RELOCATE	EA	1.000
	0741 1 11	TRAFFIC MONITORING SITE VEHICLE SENSOR-NON-WEIGHT, FURNISH & INSTALL, TYPE 1 AXLE SENSOR- IN ROAD	EA	7.000
	0745 70 12	TMS INDUCTIVE LOOP ASSEM, F&I, 2 LOOPS / LANE	AS	7.000
<b>SECTION 0006 UTILITIES</b>				
	0110 1 1	CLEARING & GRUBBING (40610315601)	LS	1.000
	0110 3	REMOVAL OF EXISTING STRUCTURE (40610315601)	LS	1.000
	0120 1	REGULAR EXCAVATION	CY	131.000
	0120 6	EMBANKMENT	CY	169.000
	0160 4	TYPE B STABILIZATION	SY	113.800
	0285704	OPTIONAL BASE, BASE GROUP 04	SY	105.000
	0400 1 2	CONCRETE CLASS I, ENDWALLS	CY	10.600
	0400 4 5	CONCRETE CLASS IV, SUBSTRUCTURE	CY	7.000
	0415 1 5	REINFORCING STEEL- SUBSTRUCTURE	LB	990.000
	0430175130	PIPE CULVERT, OPT MATERIAL, ROUND, 30"S/CD	LF	132.000
	0455 34 2	PRESTRESSED CONCRETE PILING, 14" SQ.	LF	460.000
	0530 1	RIPRAP, SAND-CEMENT	CY	8.900
	0536 1 1	GUARDRAIL -ROADWAY	LF	13.000
	0536 73	GUARDRAIL REMOVAL	LF	13.000
	0570 1 2	PERFORMANCE TURF, SOD	SY	147.000
	0571 1 13	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 3	SY	147.000
	1050 11223	UTILITY PIPE, F&I, PVC, WATER / SEWER, 5 - 7.9"	LF	75.000
	1050 11224	UTILITY PIPE, F&I, PVC, WATER / SEWER, 8 -19.9"	LF	1,828.000
	1050 11422	UTILITY PIPE, F&I, DI/CI, WATER / SEWER, 2 - 4.9"	LF	201.000
	1050 11423	UTILITY PIPE, F&I, DI/CI, WATER / SEWER, 5 - 7.9"	LF	135.000
	1050 11424	UTILITY PIPE, F&I, DI/CI, WATER / SEWER, 8 - 19.9"	LF	455.000
	1050 16004	UTILITY PIPE,REMOVE & DISPOSE, 8-19.9"	LF	175.000
	1050 18003	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 5- 7.9"	LF	10.000
	1050 18004	UTILITY PIPE,PLUG & PLACE OUT OF SERVICE, 8-19.9"	LF	1,580.000
	1055 11414	UTILITY FITTINGS, F&I, DI/CI, ELBOW, 8 - 19.9"	EA	19.000
	1055 11424	UTILITY FITTINGS, F&I, DI/CI, TEE, 8 - 19.9"	EA	1.000
	1055 11434	UTILITY FITTINGS, F&I, DI/CI, REDUCER, 8 - 19.9"	EA	1.000
	1055 11454	UTILITY FITTINGS, F&I, DI/CI, CAP/PLUG, 8 - 19.9"	EA	6.000
	1055 11455	UTILITY FITTINGS, F&I, DI/CI, CAP / PLUG, 20 - 49.9"	EA	1.000
	1080 11112	UTILITY FIXTURES, F&I, 0 - 1.9", SAMPLE POINT	EA	3.000
	1080 11204	UTILITY FIXTURES, F&I, 2-4.9", VALVE ASSEMBLY	EA	2.000
	1080 11303	UTILITY FIXTURES, F&I, 5.0 - 7.9", TAPPING SADDLE/SLEEVE	EA	1.000
	1080 11304	UTILITY FIXTURES, F&I, 5.0 - 7.9", VALVE ASSEMBLY	EA	2.000
	1080 11306	UTILITY FIXTURES, F&I, 5.0 - 7.9", VAC/AIR ASSEMBLY	EA	1.000
	1080 11307	UTILITY FIXTURES, F&I, 5-7.9", LINE STOP ASSEMBLY	EA	1.000
	1080 11311	UTILITY FIXTURES, F&I, 5-7.9", FAN GUARD	EA	8.000
	1080 11403	UTILITY FIXTURES, F&I, 8.0-19.9", TAPPING SADDLE/SLEEVE	EA	2.000
	1080 11404	UTILITY FIXTURES, F&I, 8.0-19.9", VALVE ASSEMBLY	EA	5.000
	1080 11406	UTILITY FIXTURES, F&I, 8.0-19.9", VAC/AIR ASSEMBLY	EA	3.000
	1080 11407	UTILITY FIXTURES, F&I, 8-19.9", LINE STOP ASSEMBLY	EA	2.000

**FLORIDA DEPARTMENT OF TRANSPORTATION  
 BID SOLICITATION NOTICE AND APPROXIMATE QUANTITIES**

**CALL ORDER: 001      PROPOSAL ID: E8N58**

<b>ALT</b>	<b>ITEM NO.</b>	<b>DESCRIPTION</b>	<b>UNITS</b>	<b>QUANTITY</b>
	1080 11409	UTILITY FIXTURES, F&I, 8-19.9", MECHANICAL JOINT RESTRAINT	EA	16.000
	1080 11411	UTILITY FIXTURES, F&I, 8-19.9", FAN GUARD	EA	2.000
	1080 11503	UTILITY FIXTURES, F&I, 20-49.9", TAPPING SADDLE/SLEEVE	EA	1.000
	1080 11507	UTILITY FIXTURES, F&I, 20-49.9", LINE STOP ASSEMBLY	EA	1.000
<b>SECTION 0007 ARCHITECTURAL</b>				
	0110 1 1	CLEARING & GRUBBING (40610315201)	LS	1.000
	0735 74 1	TOLL PLAZA, LOCATION 1 (40610315201)	LS	1.000
	0735 74 2	TOLL PLAZA, LOCATION 2 (40610315201)	LS	1.000
	0735 74 3	TOLL PLAZA, LOCATION 3 (40610315201)	LS	1.000
	0735 74 4	TOLL PLAZA, LOCATION 4 (40610315201)	LS	1.000
<b>SECTION 0008 INTELLIGENT TRANSPORTATION SYSTEM</b>				
	0630 2 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	8,142.000
	0630 2 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,230.000
	0630 2 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	30.000
	0633 1122	FIBER OPTIC CABLE, F&I, UNDERGROUND, 13-48 FIBERS	LF	3,089.000
	0633 1124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	8,610.000
	0633 1410	FIBER OPTIC CABLE, RELOCATE, OVERHEAD	LF	130.000
	0633 1620	FIBER OPTIC CABLE, REMOVE, UNDERGROUND	LF	8,293.000
	0633 2 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	364.000
	0633 3 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	5.000
	0633 3 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	30.000
	0633 3 13	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED CONNECTOR ASSEMBLY	EA	120.000
	0633 3 16	FIBER OPTIC CONNECTION HARDWARE, F&I, PATCH PANEL- FIELD TERMINATED	EA	5.000
	0635 2 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	1.000
	0635 2 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	16.000
	0635 2 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	3.000
	0639 2 4	ELECTRICAL SERVICE WIRE, RELOCATE	LF	84.000
	0641 2 11	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II PEDESTAL	EA	1.000
	0641 2 60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	1.000
	0641 3 70	CONCRETE CCTV POLE, SHALLOW POLE REMOVAL	EA	1.000
	0641 3263	CONCRETE CCTV POLE, FURNISH & INSTALL WITHOUT LOWERING DEVICE, 63'	EA	1.000
	0676 2400	ITS CABINET, RELOCATE	EA	2.000
	0682 1 40	ITS CCTV CAMERA, RELOCATE	EA	1.000
	0700 8500	FRONT ACCESS DYNAMIC MESSAGE SIGN, RELOCATE	EA	1.000