



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

ANANTH PRASAD, P.E.
SECRETARY

July 9, 2012

Monica Gourdine
Program Operations Engineer
Federal Highway Administration
545 John Knox Road, Suite 200
Tallahassee, Florida 32303

Re: Office of Design, Specifications
Section **105**
Proposed Specification: **1050500 Contractor Quality Control General Requirements.**

Dear Ms. Gourdine:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

These changes were proposed by Timothy Ruelke of the State Materials Office to revise the language for consistency with current Department practice.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to SP965TT or trey.tillander@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4140.

Sincerely,

Signature on file

V. Y. "Trey" Tillander, III, P.E.
State Specifications Engineer

TT/dt

Attachment

cc: Florida Transportation Builders' Assoc.
State Construction Engineer

CONTRACTOR QUALITY CONTROL GENERAL REQUIREMENTS.**(REV ~~11-7-11~~ 5-31-12)**

SUBARTICLE 105-5 (Pages 140 – 142) is expanded by the following:

105-5.10 Testing Laboratories: Identify the laboratories performing testing. Ensure that the testing laboratories comply with the Laboratory Qualification Program requirements of this Section^[dt1].

SUBARTICLE 105-8.7.3 (of the Supplemental Specifications) is deleted and the following substituted:

105-8.7.3 Concrete Laboratory Technician – Level I:

~~105-8.7.3.1 Concrete Laboratory Technician – Level I:~~ Ensure technicians testing cylinders and recording concrete strength for material acceptance are qualified CTQP Concrete Laboratory Technicians Level I. Duties include final curing, compressive strength testing, and the recording/reporting of all test data.

~~105-8.7.3.2 Concrete Laboratory Technician – Level II: Ensure that laboratories providing hardened property test results to the Department are under the supervision of a CTQP Concrete Laboratory Technician – Level II. This person is responsible to ensure that the tests are performed in accordance with Standard Test Methods, project specifications and other contract documents~~^[dt2].

**CONTRACTOR QUALITY CONTROL GENERAL REQUIREMENTS.
(REV 5-31-12)**

SUBARTICLE 105-5 (Pages 140 – 142) is expanded by the following:

105-5.10 Testing Laboratories: Identify the laboratories performing testing. Ensure that the testing laboratories comply with the Laboratory Qualification Program requirements of this Section^[dt3].

SUBARTICLE 105-8.7.3 (of the Supplemental Specifications) is deleted and the following substituted:

105-8.7.3 Concrete Laboratory Technician – Level I: Ensure technicians testing cylinders and recording concrete strength for material acceptance are qualified CTQP Concrete Laboratory Technicians Level I. Duties include final curing, compressive strength testing, and the recording/reporting of all test data.

^[dt4]