

RICK SCOTT GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 ANANTH PRASAD, P.E. SECRETARY

January 18, 2012

Monica Gourdine Program Operations Engineer Federal Highway Administration 545 John Knox Road, Suite 200 Tallahassee, Florida 32303

Re: Office of Design, Specifications

Section 105

Proposed Specification: 1050806 Contractor Quality Control General Requirements.

Dear Ms. Gourdine:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

These changes were proposed by Greg Sholar of the State Materials Office for consistency with Construction Memo 17-04.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965RP or rudy.powell@dot.state.fl.us.

If you have any questions relating to this specification change, please call Rudy Powell, State Specifications Engineer at 414-4280.

Sincerely,

Rudy Powell, Jr., P.E. State Specifications Engineer

RP/dt

Attachment

cc: Calvin Johnson, Chief Civil Litigation

Florida Transportation Builders' Assoc.

State Construction Engineer

CONTRACTOR QUALITY CONTROL GENERAL REQUIREMENTS. (REV 12-2-111-18-12)

SUBARTICLE 105-8.6.2 (of the Supplemental Specifications) is deleted and the following substituted:

105-8.6.2 Paving Technicians: For paving operations (with the exception of miscellaneous or temporary asphalt), keep a qualified CTQP Asphalt Paving Level II technician on the roadway at all times when placing asphalt mix for the Department, and perform all testing with a CTQP Asphalt Paving Level I technician. As an exception, measurements of cross-slope, temperature, and yield (spread rate), as well as the inspection of the placement of miscellaneous asphalt, can be performed by someone under the supervision of a CTQP Paving Level II technician at the roadway.

CONTRACTOR QUALITY CONTROL GENERAL REQUIREMENTS. (REV 1-18-12)

SUBARTICLE 105-8.6.2 (of the Supplemental Specifications) is deleted and the following substituted:

105-8.6.2 Paving Technicians: For paving operations (with the exception of miscellaneous or temporary asphalt), keep a qualified CTQP Asphalt Paving Level II technician on the roadway at all times when placing asphalt mix for the Department, and perform all testing with a CTQP Asphalt Paving Level I technician. As an exception, measurements of cross-slope, temperature, and yield (spread rate) can be performed by someone under the supervision of a CTQP Paving Level II technician at the roadway.