

9550000 TIMBER TREATMENT (INCLUDING TREATING MATERIALS)  
COMMENTS FROM INTERNAL/INDUSTRY REVIEW

Jeff Miller  
[jeff\\_miller@treated-wood.org](mailto:jeff_miller@treated-wood.org)

Comment: (12-17-12)

1. In 955-1, change AASHTO M 132-12 to M 133-12, the appropriate reference standard.

Response: *Thank you. This correction has been implemented. Change Made.*

2. In 955-1, change American Wood Preservers' Association to American Wood Protection Association, the new name of the organization.

Response: *Thank you. This correction has been implemented. Change Made.*

3. In 955-3 and 955-4, add the references to the International Code Council – Evaluation Service, as the ICC-ES standards are referenced in AASHTO M 133-12 and inclusion of the reference is important because some varieties of treated wood cite the AWPA standard, whereas others cite the ICC-ES standard. Reference to both is necessary and provides clarification.

Response: *Since the Section 955 references M-133, and M-133 references the use of ICC-ES evaluation report, this link is already in place. No Change Made.*

\*\*\*\*\*  
Williams, Jennifer D3  
[jennifer.williams@dot.state.fl.us](mailto:jennifer.williams@dot.state.fl.us)

Comment: (12-26-12) In 470-12.2 Copper Azole-Type B (CA-B) is struck out.  
In 955-2.2 and 955-4 Copper Azole-Type B (CA-B) is still being referenced

Response: *Thank you Jennifer. I have removed CA-B from 955 as well. Change Made.*

\*\*\*\*\*