



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

ANANTH PRASAD, P.E.
SECRETARY

December 3, 2013

Chad Thompson
Programs Operations Engineer
Federal Highway Administration
545 John Knox Road, Suite 200
Tallahassee, Florida 32303

Re: State Specifications and Estimates Office
Section **458**
Proposed Specification: **4580202 Bridge Deck Joints.**

Dear Mr. Thompson:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

These changes were proposed by Charles Boyd of the State Structures Design Office for consistency with changes to the Structures Detailing Manual and to the Design Standards.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to SP965DS or daniel.scheer@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4130.

Sincerely,

Daniel Scheer, P.E.
State Specifications Engineer

DS/cah
Attachment

cc: Florida Transportation Builders' Assoc.
State Construction Engineer

BRIDGE DECK JOINTS.**(REV 10-8-13)**

SUBARTICLE 458-2.2 is deleted and the following substituted:

| **458-2.2 Poured Joint:** Furnish ~~joint sealer or~~ a Type ~~DA, B, or C~~ silicone sealant material meeting the requirements of Section 932 that is listed on the Qualified Products List (QPL).

BRIDGE DECK JOINTS.

(REV 10-8-13)

SUBARTICLE 458-2.2 is deleted and the following substituted:

458-2.2 Poured Joint: Furnish a Type D silicone sealant material meeting the requirements of Section 932 that is listed on the Qualified Products List (QPL).