



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

ANANTH PRASAD, P.E.
SECRETARY

December 15, 2014

Khoa Nguyen
Director, Office of Technical Services
Federal Highway Administration
545 John Knox Road, Suite 200
Tallahassee, Florida 32303

Re: State Specifications and Estimates Office
Section **710**
Proposed Specification: **7100401 Painted Pavement Markings.**

Dear Mr. Nguyen:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

This change was proposed by Chester Henson of the State Roadway Design Office to clarify the requirements for final surface painted markings when permanent pavement markings are included OR are not included in the Contract. The requirements for final surface paint markings varies on Contracts with new asphalt depending on whether the permanent pavement markings are or are not included in the Contract. The specification has been modified to address both instances rather than including a Modified Special Provision (MSP) to clarify the issue.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to SP965DS or daniel.scheer@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4130.

Sincerely,

Signature on file

Daniel Scheer, P.E.
State Specifications Engineer

DS/dt

Attachment

cc: Florida Transportation Builders' Assoc.
State Construction Engineer

PAINTED PAVEMENT MARKINGS.**(REV ~~10-12-12~~-14)**

SUBARTICLE 710-4.1.1 is deleted and the following substituted:

710-4.1.1 Final Surface: ~~For Contracts with new asphalt where the~~ *When permanent pavement markings are placed on newly constructed asphalt* ~~not included in the~~ *Contract, p* Painted pavement markings (final surface) *will include one application of standard painted pavement markings and one application of retroreflective pavement markers applied to the final surface; otherwise, painted pavement markings (final surface)* will include two applications of standard painted pavement markings and one application of retroreflective pavement markers applied to the final surface. Wait at least 14 days after the first application to apply the second application of painted pavement markings (final surface). Second application must be applied prior to final acceptance of the project.

Apply all retroreflective pavement markers per the requirements of Section 706.

PAINTED PAVEMENT MARKINGS.**(REV 12-12-14)**

SUBARTICLE 710-4.1.1 is deleted and the following substituted:

710-4.1.1 Final Surface: When permanent pavement markings are placed on newly constructed asphalt, painted pavement markings (final surface) will include one application of standard painted pavement markings and one application of retroreflective pavement markers applied to the final surface; otherwise, painted pavement markings (final surface) will include two applications of standard painted pavement markings and one application of retroreflective pavement markers applied to the final surface. Wait at least 14 days after the first application to apply the second application of painted pavement markings (final surface). Second application must be applied prior to final acceptance of the project.

Apply all retroreflective pavement markers per the requirements of
Section 706.