



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

JIM BOXOLD
SECRETARY

December 28, 2015

Khoa Nguyen
Director, Office of Technical Services
Federal Highway Administration
3500 Financial Plaza, Suite 400
Tallahassee, Florida 32312

Re: State Specifications Office
Section **709**
Proposed Specification: **7090500 Two Reactive Components Pavement Markings.**

Dear Mr. Nguyen:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

The changes are proposed by Amy Tootle of the State Construction Office to require all construction-related documentation to be submitted by electronic means for consistency with the State Construction Office e-Construction initiative.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to daniel.scheer@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4130.

Sincerely,

Signature on file

Daniel Scheer, P.E.
State Specifications Engineer

DS/dt

Attachment

cc: Florida Transportation Builders' Assoc.
State Construction Engineer

TWO REACTIVE COMPONENTS PAVEMENT MARKINGS.**(REV ~~10-30~~11-2-15)**

ARTICLE 709-5 is deleted and the following substituted:

709-5 Contractor's Responsibility for Notification.

Notify the Engineer prior to the placement of the materials. At the time of notification, submit a certification to the Engineer with the APL number and the batch/ or Lot numbers of the materials and glass spheres or retroreflective elements to be used. ~~Furnish the Engineer with the manufacturer's name and batch numbers of the materials and retroreflective elements or glass spheres to be used. Ensure that the approved batch numbers appear on the materials and retroreflective elements or glass spheres packages.~~

**TWO REACTIVE COMPONENTS PAVEMENT MARKINGS.
(REV 11-2-15)**

ARTICLE 709-5 is deleted and the following substituted:

709-5 Contractor's Responsibility for Notification.

Notify the Engineer prior to the placement of the materials. At the time of notification, submit a certification to the Engineer with the APL number and the batch or Lot numbers of the materials and glass spheres or retroreflective elements to be used.