



Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

JIM BOXOLD
SECRETARY

MEMORANDUM

DATE: January 15, 2016

TO: Specification Review Distribution List

FROM: Daniel Scheer, P.E., State Specifications Engineer

SUBJECT: Proposed Specification: **0072002 Legal Requirements and Responsibility to the Public – Dust Control.**

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change.

The changes are proposed by Frances Thomas of the Program Management Office to remove an incorrect reference and update language.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or online at

<http://www2.dot.state.fl.us/ProgramManagement/Development/IndustryReview.aspx> .

Comments received after **January 29, 2016**, may not be considered. Your input is encouraged.

DS/ft
Attachment

LEGAL REQUIREMENTS AND RESPONSIBILITY TO THE PUBLIC – DUST CONTROL.

(REV ~~12-22-15~~*1-15-15*)

SUBARTICLE 7-20.2 is deleted and the following substituted:

7-20.2 Dust Control: ~~Ensure that excessive dust is not transported beyond the limits of construction in populated areas. The Contractor may control dust for embankments or other cleared or unsurfaced areas by applying water or calcium chloride, as directed by the Engineer. Use calcium chloride in accordance with 102-5. When included in the Plans, install mulch, seed, sod, or temporary paving as early as practical in the project.~~ Control dust during the storage and handling of dusty materials by wetting, covering, or other means as approved by the Engineer. *When included in the Plans, install mulch, seed, sod, or temporary paving early in the project.*