



SECTION B-B




SECTION A-A




DRAIN DETAIL

DETAIL A

CONCRETE SLOPE PAVEMENT PROTECTION ADJACENT TO ROAD




PARTIAL PLAN



SECTION A-A

DETAIL A



DRAIN DETAIL


DETAIL B

CONCRETE SLOPE PAVEMENT PROTECTION BETWEEN DUAL GRADE SEPARATION BRIDGES


BRIDGE NO. XXXXXX

REVISIONS						NAMES		DATES		ENGINEER OF RECORD			SHEET TITLE		
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	DRAWN BY	ABC	MD-YR	MD-YR	FLORIDA DEPARTMENT OF TRANSPORTATION			SLOPE PROTECTION DETAIL OPTIONS		
						CHECKED BY	DEF	MD-YR	MD-YR	ROAD NO. XXX COUNTY XXXX FINANCIAL PROJECT ID 123456-1-52-12			PROJECT NAME: DETAILING MANUAL EXAMPLES		
						DESIGNED BY	GHI	MD-YR	MD-YR	Certificate of Authorization No.			SHEET NO. EX-3		
						CHECKED BY	JKL	MD-YR	MD-YR						
						APPROVED BY	MNO								


NOTICE: THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE SIGNED AND SEALED UNDER RULE 61G5-23.003, F.A.C.



PARTIAL PLAN VIEW INSIDE AREA (MEDIAN) DUAL BRIDGES
(Bridge Deck and Approach Slab shown Dashed)



PARTIAL PLAN VIEW OUTSIDE AREA SINGLE OR DUAL BRIDGES
(Bridge Deck and Approach Slab shown Dashed)



PARTIAL SIDE ELEVATION

NOTE:
For Section A-A, B-B, C-C & D-D see Sheet EX-5.

ESTIMATED QUANTITIES		
ITEM	UNIT	QUANTITY
Riprap (Sand-Cement)	CY	
Riprap (Rubble)	TN	
Bedding Stone	TN	

NOTES TO DESIGNER:


All minimum values shown are design minimums. Actual values are determined by the designer and included in the plans.

* Longitudinal extent of riprap shall be extended beyond 15' from front Face of Backwall if required by the Engineer.


For regions subject to waves over 3', a Coastal Engineer shall design the Slope Protection System.

BRIDGE NO. XXXXXX

REVISIONS						NAMES		DATES		ENGINEER OF RECORD:			SHEET TITLE:	
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	DRAWN BY	ABC	MD-YR	MD-YR	FLORIDA DEPARTMENT OF TRANSPORTATION			SLOPE PROTECTION ADJACENT TO STREAMS (SHEET 1 OF 2)	
						CHECKED BY	DEF	MD-YR	MD-YR	ROAD NO. COUNTY FINANCIAL PROJECT ID			PROJECT NAME:	
						DESIGNED BY	GHI	MD-YR	MD-YR	XXX XXXX 123456-1-52-12			DETAILING MANUAL EXAMPLES	
						CHECKED BY	JKL	MD-YR	MD-YR				SHEET NO.	
						APPROVED BY	MNO			Certificate of Authorization No.			EX-4	




SECTION B-B




SECTION D-D

NOTE:
 Filter Fabric shall be Type D-2, see Design Standard Index 199.
 Splice length shall be 6" if bedding stone specified or 2'-0" if no bedding stone specified.
 For location of Section A-A, B-B, C-C & D-D see Sheet EX-4.

* Provide Bedding Stone unless otherwise shown on the Bridge Hydraulic Recommendations sheet.



SECTION A-A



SECTION C-C

BRIDGE NO. XXXXXX

REVISIONS						NAMES		DATES		ENGINEER OF RECORD			SHEET TITLE		
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	ABC	MD-YR	DEF	MD-YR	FLORIDA DEPARTMENT OF TRANSPORTATION			SLOPE PROTECTION ADJACENT TO STREAMS (SHEET 2 OF 2)		
						GHI	MD-YR	JKL	MD-YR	ROAD NO. XXX COUNTY XXXX FINANCIAL PROJECT ID 123456-1-52-12			PROJECT NAME: DETAILING MANUAL EXAMPLES		
						APPROVED BY: MNO		Certificate of Authorization No.			SHEET NO. EX-5				

NOTICE: THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE SIGNED AND SEALED UNDER RULE 61G15-23.003, F.A.C.