



*Florida Department of Transportation*

RICK SCOTT  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

JIM BOXOLD  
SECRETARY

February 6, 2017

**MATERIALS BULLETIN NO. 02-17**

**DCE MEMORANDUM NO. 02-17**

*(FHWA Approved: 1/30/2017)*

**This Memo has Expired**

**TO: DISTRICT MATERIALS AND RESEARCH ENGINEERS  
DISTRICT CONSTRUCTION ENGINEERS**

**FROM:** Timothy Ruelke P.E., Director, Office of Materials  
David A. Sadler, P.E., Director, Office of Construction

**COPIES:** Bob Burlison, Courtney Drummond, Amy Tootle, Nick Finch, Rafiq Darji

**SUBJECT: ACCEPTANCE OF BRICK MASONRY SAND**

The preparation of mortar in Section 425 of the Standard Specifications for Road and Bridge Construction requires brick masonry sand meeting the requirements of Section 902.

Pending a Specification change, brick masonry sand will not require certification by direct delivery from a Department approved mine. Upon the request of the Project Administrator, the Contractor can alternatively provide documentation that sand meeting the requirements of 902 was delivered from a Department approved concrete plant.

**This memorandum serves as a blanket approval to process this change at no cost to the Department and should be attached to the Field Supplemental Agreement/Work Order or Supplemental Agreement.**

Should you have any questions concerning this matter, please contact John Shoucair (352) 955-2925 at the State Materials Office.

TR/js