

SUMMARY OF PERFORMANCE TURF, SOD

LOCATION STA. TO STA.	SIDE	P			F			FIELD BOOK REFERENCE
		L	W	SY	L	W	SY	
NB I-00								
570+00 - 580+62	Med.	1062	1.33	157				
570+00 - 574+57	Rt.	457	1.33	68				
575+45 - 576+80	Rt.	135	1.33	20				
576+80 - 579+95	Rt.	315	56	1960				
579+95 - 580+62	Rt.	67	32	238				
580+62 - 586+37	Med.	575	1.33	85				
580+62 - 586+37	Rt.	575	1.33	85				
SB I-00								
570+00 - 580+62	Med.	1062	1.33	157				
570+00 - 574+57	Lt.	457	1.33	68				
575+45 - 577+25	Lt.	180	1.33	27				
577+25 - 580+34	Lt.	309	48	1648				
580+34 - 580+62	Lt.	28	37	115				
580+62 - 586+37	Med.	575	1.33	85				
580+62 - 586+37	Lt.	575	1.33	85				
RAMP A								
182+99 - 187+24	Lt.	425	1.33	63				
180+87 - 187+74	Rt.	687	1.33	102				
RAMP B								
276+62 - 281+75	Lt.	513	1.33	76				
274+47 - 280+29	Rt.	582	1.33	86				
RAMP C								
382+45 - 386+88	Rt.	443	1.33	65				
381+95 - 388+30	Lt.	635	1.33	94				
RAMP D								
481+05 - 485+63	Lt.	458	1.33	68				
480+64 - 487+31	Rt.	667	1.33	99				
DRAINAGE STRUCTURES				807				
PAVED DITCHES				278				
TOTAL				6536				

SUMMARY OF SIDE DRAIN & MITERED END SECTIONS

LOCATION		PIPE LENGTH (LF)					MES (EA)					
STA. TO STA.	SIDE	ROUND SHAPE			OTHER		ROUND			OTHER		
		15"	18"	24"	24"	36"	15"	18"	24"	24"	36"	
P	150+10 - 150+50	Rt.	40					2				
F												
P	160+85 - 161+21	Lt.		36				2				
F												
P	176+36 - 176+78	Lt.				42					2	
F												
P	181+46 - 181+98	Rt.			52					2		
F												
P	192+46 - 192+82	Lt.	36					2				
F												
P	194+50 - 195+14	Rt.				64						2
F												
P												
F												
P												
F												
UNIT QUANTITY			76	36	52	42	64	4	2	2	2	2
PLAN QUANTITY			76	36	52	42	64	4	2	2	2	2
FINAL QUANTITY												

EXHIBIT SQ-1
Date: 1/1/12

REVISIONS				STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SUMMARY OF QUANTITIES	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION	ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				10	LEON	123456-1-52-01		

SUMMARY OF GUARDRAIL

LOCATION		GUARDRAIL (LF)					BRIDGE ANCHORAGE ASSEMBLIES (EA)		END ANCHORAGE ASSEMBLIES (EA)								LOCATION		PEDESTRIAN SAFETY TREATMENT		RUB RAIL (LF)						REMARKS	FIELD BOOK REFERENCE													
STATION	SIDE	ROADWAY					NEW CONSTRUCTION OR RETROFIT		FLARED		PARALLEL		TYPE II		TYPE CRT		STATION	SIDE	PIPE RAIL (LF)		ROADWAY																				
		ROADWAY		DOUBLE FACE		MOD. THRIE BEAM DBL FACE		P	F	P	F	P	F	P	F	P			F	P	F	SGL			DBL																
		P	F	P	F	P	F	P	F	P	F	P	F	P	F	P			F	P	F	P	F	P	F	P			F												
FROM 600+50 TO 601+37	Rt.	87.5								1							FROM 602+30 TO 603+00	Rt.	70.0																						
FROM 600+10 TO 601+35	Lt.	125.0													1		FROM 600+70 TO 601+20	Med.			50.0																				
FROM 602+25 TO 603+25	Rt.	100.0								1				1		FROM 604+70 TO 605+20	Med.																								
FROM 600+50 TO 603+25	Med.			275.0						1						FROM 604+70 TO 605+20	Med.				50.0																				
FROM 604+25 TO 604+87	Rt.	62.5								1						FROM 604+70 TO 605+20	Med.																								
FROM 602+45 TO 603+20	Lt.	75.0										1				FROM 604+70 TO 605+20	Med.																								
FROM 604+50 TO 606+00	Med.					150.0						1				FROM 604+70 TO 605+20	Med.				50.0																				
TOTAL		450		275		150			3		6		1		3		TOTAL		70		100																				

SUMMARY OF DITCH PAVEMENT AND PERFORMANCE TURF, SOD

LOCATION		RIPRAP (SAND CEMENT)		RIPRAP (RUBBLE)		CONCRETE		PERF. TURF (SOD)		REMARKS	FIELD BOOK REFERENCE
STA. TO STA.	SIDE	CY		TN		SY		SY			
		P	F	P	F	P	F	P	F		
128+17	Lt.	21.6									
128+52	Rt.	24.2									
137+12 (S-2)	Lt.					26		8			
156+14 (S-6)	Lt.					30		9			
158+00 (S-7)	Lt./Rt.					96		42			
161+20 (S-9)	Lt.					40		10			
168+40 (S-12)	Rt.					108		12			
172+87 (S-15)	Rt.					56		10			
180+12 (S-17)	Lt.					20		8			
182+57 (S-20)	Rt.					20		7			
TOTAL		45.8				396		106			

WHEN PIPE RAIL AND/OR RUB RAIL IS TO BE USED, THE BEGINNING AND END STATION IS TO BE NOTED AND TABULATED AS SHOWN IN THE SUMMARY OF GUARDRAIL ABOVE. OTHERWISE, THESE COLUMNS MAY BE DELETED.

EXHIBIT SQ-2
Date: 1/1/12

DATE		DESCRIPTION		DATE		DESCRIPTION		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SUMMARY OF QUANTITIES	SHEET NO.
ROAD NO.		COUNTY		FINANCIAL PROJECT ID								
10		LEON		123456-1-52-01								

NOTICE: THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE SIGNED AND SEALED UNDER RULE 61G15-23.003, F.A.C.

SUMMARY OF EARTHWORK		
DESCRIPTION	P	F
	CY	CY
ROADWAY EXCAVATION, MAINLINE	10,000	
ROADWAY EXCAVATION, ADAMS ST.	800	
REGULAR EXCAVATION, POND #1	1,005	
REGULAR EXCAVATION FROM LATERAL DITCHES	5,000	
TOTAL REGULAR EXCAVATION	16,805	
EMBANKMENT, MAINLINE	20,000	
EMBANKMENT, ADAMS ST.	7,000	
TOTAL EMBANKMENT	27,000	
SUBSOIL EXCAVATION, MAINLINE	2,080	
SUBSOIL EXCAVATION, ADAMS ST.	1,100	
TOTAL SUBSOIL EXCAVATION	3,180	

SUMMARY OF EARTHWORK		
DESCRIPTION	P	F
	CY	CY
FILL, MAINLINE	253	
FILL, GUARDRAIL LOCATIONS	70	
FILL, CROSS DRAINS	100	
SUB-TOTAL FILL	423	
FILL ADJUSTMENT (20%) (423 x 0.20)	+85	
SUB-TOTAL WITH FILL ADJUSTMENT	508	
TRUCK ADJUSTMENT (25%) (571 x 0.25)	+127	
TOTAL BORROW EXCAVATION	635	

Earthwork has been calculated using the _____ base option.
 If another option is constructed, there shall be no revision to the
 earthwork quantities for which payment is made by Plan Quantity.

FOR PROJECTS WITH CROSS SECTIONS

FOR PROJECTS WITHOUT CROSS SECTIONS
 Adjustment percentages shown are for example only.
 Contact District Materials Office or Construction
 for actual percentages to be used for each project.

EXHIBIT SQ-3
 Date: 1/1/12

REVISIONS				STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SUMMARY OF QUANTITIES	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION	ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				10	LEON	422823-1-52-01		

SUMMARY OF PERMANENT CRASH CUSHIONS

STATION	SIDE	DESIGN SPEED	OPTIONS ALLOWED	TRANSITION REQUIRED Y/N	PAY ITEMS								
					544-75-40		544-75-22		544-75-9		544-75-14		
					P	F	P	F	P	F	P	F	
100+50	Rt.	60	QuadGuard	Y	1								
			TAU II	Y									
			TRACC	Y									
103+10	Med.	60	WideTRACC	Y			1						
110+65	Med.	60	BRAKEMASTER	N					1				
125+23	Rt.	70	QuadGuard HS	Y	1								
			TAU II	Y									
			TRACC	Y									
1175+15	Rt.	35	QuadGuard	Y								1	
1321+37	Lt.	50	QuadGuard	Y	1								
			TAU II	Y									
Total					3		1		1		1		

EXHIBIT SQ-4
Date: 1/1/12

REVISIONS				STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SUMMARY OF QUANTITIES	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION	ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				10	LEON	123456-1-52-01		

SUMMARY OF LITTER REMOVAL AND MOWING

CONST. PHASE	DURATION (DAYS)	FREQUENCY (DAYS)	LITTER REMOVAL			MOWING			REMARKS
			CYCLES	AREA		CYCLES	AREA		
				AC/CYCLE	TOTAL (AC)		AC/CYCLE	TOTAL (AC)	
1	42	30	1	8.7	8.7	1	8.7	8.7	
2	98	30	3	7.3	21.9	3	7.3	21.9	
3	114	30	4	5.8	23.2	4	5.8	23.2	
4	68	30	2	5.8	11.6	2	5.8	11.6	
			TOTAL	P	65.4	TOTAL	P	65.4	
				F			F		

EXHIBIT SQ-5
Date: 1/1/12

REVISIONS				STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SUMMARY OF QUANTITIES	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION	ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				10	LEON	123456-1-52-01		

SUMMARY OF EROSION AND SEDIMENT CONTROL DEVICES

LOCATION STA. TO STA.	SIDE	SEDIMENT BARRIER		FLOATING TURBIDITY BARRIER		STAKED TURBIDITY BARRIER		INLET PROTECTION		REMARKS	FIELD BOOK REFERENCE
		LF		LF		LF		EA			
		P	F	P	F	P	F	P	F		
160+55 TO 165+16	Lt.	482									
159+94 TO 163+75	Rt.	381									
152+55	Lt.	30									
154+20	Lt.	25									
152+18	Rt.	30									
154+13	Rt.	26									
156+94 TO 158+38	Lt.	144									
158+38	Lt.	27									
157+23 TO 158+64	Rt.	141									
160+44	Rt.	28									
160+45	Lt.	27									
158+88 TO 160+25	Lt.			137							
158+64 TO 160+03	Rt.			138							
158+60 TO 159+20	Rt.					153					
159+67 TO 160+35	Lt.					133					
160+78	Lt.							1			
160+78	Rt.							1			
160+78	Rt.							1			
TOTALS		1341		275		286		3			

EXHIBIT SQ-6
Date: 1/1/12

REVISIONS				STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION			